

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
1	BRS	L1	313	(Linear near3 amplif\$10 or LA near3 amplif\$10 or "Non-Linearly" near3 Amplif\$10 or "NLA" near3 amplif\$10) same (hybrid or OFDM or DMT or orthogonal adj2 frequency adj2 division or discrete adj3 multi adj2 tone\$1 or multitone\$1)	USPA T; US-P GPUB ; EPO; JPO	2004/08/1 1 17:08	
2	BRS	L2	7	(plural\$3 near3 sampl\$3 or multi\$3 near3 sampl\$3 or multi\$3 near3 carrier\$1 or plural\$3 near3 carrier\$1 or plural\$3 near3 subcarrier\$1 or multi\$3 near3 subcarrier\$1) same (hybrid near3 amplif\$10)	USPA T; US-P GPUB ; EPO; JPO	2004/08/1 1 16:49	
3	BRS	L3	96	1 and (hybrid near3 amplif\$10)	USPA T; US-P GPUB ; EPO; JPO	2004/08/1 1 16:49	
4	BRS	L4	103	1 and (hybrid near3 amplif\$10 or "HAR" or "HPA")	USPA T; US-P GPUB ; EPO; JPO	2004/08/1 1 16:51	
5	BRS	L5	21	(maxim\$3 near3 amplitude\$1 or normaliz\$6 or normaliz\$6 near3 amplitude\$1) and 4	USPA T; US-P GPUB ; EPO; JPO	2004/08/1 1 16:56	

	Error Definition	Er ro rs
1		0
2		0
3		0
4		0
5		0

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
6	BRS	L6	1	6,133,788.pn.	USPAT; US-PGPUB; EPO; JPO	2004/08/11 17:07	
7	BRS	L7	1	(Linear near3 amplif\$10 or LA near3 amplif\$10) same ("Non-Linearly" near3 Amplif\$10 or "NLA" near3 amplif\$10) same (hybrid or OFDM or DMT or orthogonal adj2 frequency adj2 division or discrete adj3 multi adj2 tone\$1 or multitone\$1)	USPAT; US-PGPUB; EPO; JPO	2004/08/11 17:09	
8	BRS	L8	8	(HPA or hybrid adj2 amplif\$10 or High adj2 power adj2 amplif\$10) same (amplitude\$1 near3 maxim\$4 or normaliz\$10 near4 amplitude\$1 or best near3 amplitude\$1 or biggest near3 amplitude\$1)	USPAT; US-PGPUB; EPO; JPO	2004/08/11 17:15	
9	BRS	L9	913	(HPA or hybrid adj2 amplif\$10 or High adj2 power adj2 amplif\$10) same (PAR or PAPR or peak adj2 average aadj2 ratio\$1 or MCM or multi adj2 carrier\$1 adj2 modulation\$1 or OFDM or multitone\$1 or multi adj2 tone\$1 or orthogonal adj2 frequency adj2 multiplex\$3 or subcarrier\$1 or sub adj2 carrier\$1 or plural\$3 adj2 carrier\$1 or multi\$3 adj2 carrier\$1)	USPAT; US-PGPUB; EPO; JPO	2004/08/11 17:19	

	Error Definition	Er ro rs
6		0
7		0
8		0
9		0

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
10	BRS	L10	78	9 same amplitude\$1	USPAT; US-PGPUB; EPO; JPO	2004/08/11 17:18	
11	BRS	L11	132	(HPA or hybrid adj2 amplif\$10 or High adj2 power adj2 amplif\$10) same (PAR or PAPR or peak adj2 average adj2 ratio\$1 or MCM or multi adj2 carrier\$1 adj2 modulation\$1 or OFDM or multitone\$1 or multi adj2 tone\$1 or orthogonal adj2 frequency adj2 multiplex\$3 or subcarrier\$1 or sub adj2 carrier\$1 or plural\$3 adj2 carrier\$1 or multi\$3 adj2 carrier\$1)	USPAT; US-PGPUB; EPO; JPO	2004/08/11 17:40	
12	BRS	L12	42	11 same (amplitude\$1)	USPAT; US-PGPUB; EPO; JPO	2004/08/11 17:40	

	Error Definition	Er ro rs
10		0
11		0
12		0